


CONTACT INFORMATION

Indus Motor Company Limited
Plot No. N.W.Z./1/P-1, Port Qasim Authority, Karachi, Pakistan.
Phone: +92-21-34721100
UAN: +92-21-111-86-96-82 (+92-21-111-TOYOTA)

CUSTOMER ASSISTANCE CENTRE

Toll Free: 0800-11123 Fax: 021-34720021 Email: customer.relations@toyota-indus.com

































PAVE THE WAY

The 4.2 inch multi-display illuminates a hi-tech appearance, informing data in terms of navigation, external temperature and odometer for quick accessibility.





DISTINCTIVE DOMINANCE

The steering wheel is redesigned in such a way, that it gives an experience of absolute command. In the hold of premium leather, the steering accommodates MID navigation, telephone, voice command, volume and track switches. The steering wheel can be adjusted, to the driving position of your choice with telescopic or tilt mechanism.


















Prioritize safety and annihilate challenges with safety features that help protect the occupants in the unlikely events of an accident.







ABS ANTI-BRAKING SYSTEM







SPECIFICATIONS

FORTUNER

		FORTUNER (4X4 Hi)	FORTUNER (4X2 Hi)	
		MODEL CODE GUN156R-SPTMHP	MODEL CODE TGN166R-SPTSKP	
IMENSIONS				
Exterior	L x W x H (mm)	4795 x 1855 x 1835	4795 x 1855 x 1835	
Wheelbase	(mm)	2750	2750	
Tread	Front (mm) / Rear (mm)	1540 / 1555	1540 / 1555	
7.00		990 / 1060	990 / 1060	
Overhang	Front (mm) / Rear (mm)			
Min. Running Ground Clearance	(mm)	279	279	
Min. Turning Radius	Body (m)	6.2	6.2	
Interior	LxWxH (mm)	2478 x 1478 x 1105	2478 x 1478 x 1105	
Seating Capacity (Persons)		7	7	
Gross Vehicle Weight	Total (kg)	2735	2500	
Curb Weight	Min. Options (kg)	2095	1835	
Fuel Tank Capacity	Total (L)	80	80	
NGINE SPECIFICATION				
ngine Code		1GD - FTV (H)	2TR - FE	
intercooler (COV)		0	X	
Displacement (cm3)		2755	2694	
Vo. of Cylinders & Arrangement		4 Cylinders, IN LINE	4 Cylinders, IN LINE	
uel System		Common - Rail - Diesel	Sequential Multiport Fuel Injection - Petrol	
Max. Output (kW @ rpm)	//	130 @ 3400	122@5200	
		450 @ 1600 - 2400	245 @ 4000	
fax. Torque (N-m @ rpm)		450 SF 1000 * 2400	240 @ 4000	
ERFORMANCE				
ransmission	Code	ACEOF	AC60E	
	Type	6-Speed Sequential with Paddle Shifters	6-Speed Sequential with Paddle Shifters	
ransfer	System	Part-Time H2, H4, L4	X	
	Type	Switch Type		
Pear Differential Lock		Yes, Automatic Disconnect Differential	X	
Brake Type	Front + Rear	Ventilated Disc Brake	Ventilated Disc Brake	
Brake Control Valve	11000	EBO	EBO	
ire & Wheel	Туре	265/60R18 Alloy	265/60R18 Alloy	
Suspension Type	Front / Rear	Double Wishbone / Four Link	Double Wishbone / Four Link	
tabilizer Bar	FTORIL / FYDRI	Double Wishbone / Pour Link	Double Wishbotte / Pour Link 0	
		0	0	
Cruise Control		0	0	
XTERIOR				
Power Back Door Z	To a service of the s	0	X	
leadlamp	Bulb	LED PES	LED PES	
	Leveling	Automatic	Automatic	
	System	Smart (Auto Operate & Follow-Me)	Smart (Auto Operate & Follow-Me)	
Daytime Running Lamps		0	0	
fail Lamps		LED Type	LED Type	
ligh Mount Stop Lamp		LED Type	LED Type	
ront Grille		Chrome	Chrome	
ront Foglamp	17	LED	LED	
ide-turn Signal		On Outer Mirror	On Outer Mirror	
Outer Rear View Mirror		Electric + Power Retractable + Welcome Lamp	Electric + Power Retractable	
Door Handle		Chrome	Chrome	
Doorbelt Moulding		Silver	Silver	
Side-Step	Cover	Silver AVE	Black	
Mud Guard		Front + Rear	Front + Rear	
Air Spats		Front + Rear	Front + Rear	







INTERIOR			
Cabin Scheme		Chamois / Black	Chamois / Black
Seat Material		Leather	Leather
Door Trim		Leather / Silver	Leather / Silver
Instrument Panel		Chrome + Silver / Black	Chrome + Silver / Black
Power Door Lock		0	0
Push Start ATT		0	0
Smart Entry (COLD)		Smart Key with Panic	Smart Key with Panic
Door Handle		Chrome	Chrome
Window Wiper	Front	Time Adjust Intermittent + Mist	Time Adjust Intermittent + Mist
	Rear	Intermittent	Infermittent
Illuminated Entry System		0	0
Coat Hook		0	0
Shopping Hooks		0	0
Sun Visor		D + P + Mirror with Lid and Vanity Lamp	D + P + Mirror with Lid and Vanity Lamp
Heater		0	0
Climate Control		Auto A/C	Auto A/C
Side Defroster		0	0
Cool & Hot Box		0	0
	f		
Head Rest	Front Seats	Separate, D + P	Separate, D + P
	Second Row Seats	Separate, 3	Separate, 3
	Third Row Seats	Separate, 2	Separate, 2
Rear Armrest		0	0
Front Seat	Type	Separate / Premium	Separate / Premium
	Adjustment System	Driver-Seat Powered	Driver-Seat Powered
	Slide Adjustment	Driver + Passenger	Driver + Passenger
	Recline Adjustment	Driver + Passenger	Driver + Passenger
1	Height Adjustment	Driver-Side	Driver-Side
Second Row Seat		With Armrest 60:40 Split, Slide and One-Touch Tumble	With Armrest 60:40 Split, Slide and One-Touch Tumble
Third Row Seat		50:50 Space-Up with Recline Adjustment	50:50 Space-Up with Recline Adjustment
Accessory Connector Steering	12 V DC	Three Connectors	Three Connectors
	220 V AC (100W)	One Connector	One Connector
	Material	Leather Stitched with Wood	Leather Stitched with Wood
	Type	Hydraulic Power Steering	Hydraulic Power Steering
		1. The state of th	
	Adjustment System	Tift & Telescopic	Tift & Telescopic
	Fingertip Controls	Audio, Tel, VR, MID Premium	Audio, Tel, VR, MD Premium
Speedometer		Premium, Optitron	Premium, Optitron
Multi Info Display		Large Colour TFT	Large Colour TFT
Economy Meter		0	0
Infotzinment System	Screen	8" Capacitive Display	8" Capacitive Display
	Inputs	DVD, Bluetooth, Memory Card, Screen Mirroring, Voice Recognition, USB, HDMI, Air Gestures	DVD, Bluetooth, Memory Card, Screen Mirroring, Voice Recognition, USB, HDMI, Air Gesture
	Navigation	0	0
	Speakers	6 Speakers	6 Speakers
	Wi-Fi	0	0
	Rear Carnera	0	0
	Front Camera	Front Camera Ready	Front Camera Ready
Antenna	77 20 20 20 20 20 20 20 20 20 20 20 20 20	Shark Fin	Shark Fin
SAFETY			
PART (PART)		And the second s	2000-000-000-000-000-000-000-000-000-00
Vehicle Stability Control		With HAC + TSC + DAC	With HAC + TSC
Emergency Brake Signal		0	0
Light Reminder 2007		0	0
Engine Oil Levelling Warning		0	X
Shift-Lock System		0	0
Immobilizer		Horn	Horn
Anti-Lock Braking System		0	0
Door Courtesy		Lamp ATES	Reflector
Seathelt	Front Seats	3-point ELR x 2 + P/T + F/L	3-point ELR x 2 + P/T + F/L
Stations	2 nd Row Seat	3-point ELR x 3	3-point ELR x 3
	3rd Row Seat	3-point ELR x 2	3-point ELR x 2
Child Bastraint Sustan		3-point ELF X 2	3-point ELFi x 2
Child-Restraint System	ISOFIX Child Seat Anchors		
SRS Airbag	Front Airbag	Dual (Driver + Passenger)	Dual (Driver + Passenger)
	Knee Airbag	Driver	Driver
	On/Off Switch	0	0

Airbag Indicator

O = applicable X = not applicable

INDUS MOTOR COMPANY LIMITED
RESERVES THE RIGHT TO ALTER ANY
DETAILS OF SPECIFICATIONS AND
EQUIPMENT WITHOUT NOTICE.
VEHICLES SHOUM AND
SPECIFICATIONS MENTIONED
HEREIM MAY VARY FROM MODELS
AND EQUIPMENT AVAILABLE.

Disclaimer: This brochure is developed to shoucase features of Fortuner 4x4 (HI) only.

Satisfaction in Getting More than a Car

When you buy a Toyota from Indus Motor Company Limited, you're buying more than just a car. You're buying a promise that gives you all the assurance, trust, support, efficiency and convenience you need. In line with our "Customer First" belief, your satisfaction is our priority. It is this simple philosophy at Indus Motor Company Limited that has made Toyota a leading automobile brand across Pakistan.

Total peace of mind comes from 2 YEARS OR 50,000 km Mileage Warranty, high levels of Quality, Durability and Reliability (Q.D.R.) with an impact-absorbing shell and high integrity cabin that has attained the world's top level of safety to give you unparalleled protection. Whether it's maintenance or grooming, our Genuine Parts and state-of-the-art precision tools will also keep your car performing like it ought to be - a Toyota.

We are Present Throughout the Nation

- 1. TOYOTA ABBOTT MOTORS PHONE: (0992) 406902 BAHAWALPUR
- TOYOTA D. G. KHAN MOTORS UAN: (064) 111-222-737
- TOYOTA D. I. KHAN MOTORS PHONE: (0966) 716792-3
- 7 5. TOYOTA FAISALABAD MOTORS UAN: (041) 111-000-052
- 7 6. TOYOTA LYALLPUR MOTORS UAN: (041) 111-000-856
- 7. TOYOTA GUJRANWALA MOTORS UAN: (055)-111-000-183 RAHIM YAR KHAN
- 8. TOYOTA HYDERABAD MOTORS UAN: (022) 111-555-121 7 9. TOYOTA POINT MOTORS UAN: (022) 111-000-876
- 10. TOYOTA CAPITAL MOTORS UAN: (051) 111-142-142
- 11. TOYOTA G. T. MOTORS PHONE: (051) 2227860-4 ₱ 12. TOYOTA ISLAMABAD MOTORS UAN: (051) 111-000-037
- ₹ 13. TOYOTA CENTRAL MOTORS UAN: (021) 111-786-122
- TOYOTA CLIFTON MOTORS UAN: (021) 111-800-777 PHONE: (021) 35302501-6
- 15. TOYOTA CREEK MOTORS PHONE: (021) 35092211-5
- 7 16. TOYOTA DEFENCE MOTORS UAN: (021) 111-836-836
- 17. TOYOTA EASTERN MOTORS UAN: (021) 111-836-111 ₱ 18. TOYOTA HIGHWAY MOTORS UAN: (021) 111-009-000
- 19. TOYOTA SHAHRAH-E-FAISAL MOTORS PHONE: (021) 34600519-20
- 20. TOYOTA SOCIETY MOTORS UAN: (021) 111-786-113
- \$21. TOYOTA SOUTHERN MOTORS UAN: (021) 111-876-111
- 22. TOYOTA UNIVERSITY MOTORS UAN: (021) 111-886-111 7 23. TOYOTA WESTERN MOTORS UAN: (021) 111-800-786

- 26. TOYOTA GARDEN MOTORS UAN: (042) 111-595-959 7 27. TOYOTA HN MOTORS UAN: (042) 111-000-095
- 7 28. TOYOTA JINNAH MOTORS UAN; (042) 111-119-696
- 29. TOYOTA RAVI MOTORS UAN: (042) 111-700-900
- 30. TOYOTA SAHARA MOTORS UAN: (042) 111-383-838
- 31. TOYOTA SHAHEEN MOTORS UAN: (042) 111-300-700
- 32. TOYOTA TOWNSHIP MOTORS UAN: (042) 111-393-939 33. TOYOTA WALTON MOTORS UAN: (042) 111-008-009

- 34. TOYOTA MARDAN MOTORS PHONE: (0937) 873001-3 MIRPUR (AJK)
- - 36. TOYOTA CITY MOTORS UAN: (061) 111-111-342
 - 38. TOYOTA FRONTIER MOTORS UAN: (091) 111-235-236 39. TOYOTA KHYBER MOTORS PHONE: (091) 2586931-34

 - 43. TOYOTA SARGODHA MOTORS UAN: (048) 111-222-456
 - 44. TOYOTA SIALKOT CITY MOTORS PHONE: (052)-3308131-4

- ₹ 37. TOYOTA MULTAN MOTORS UAN: (061) 111-111-343
- 40. TOYOTA ZARGHOON MOTORS PHONE: (081) 2450444
- 7 41. TOYOTA ROYAL MOTORS UAN: (068) 111-111-185 RAWALPINDI
- 42. TOYOTA RAWAL MOTORS PHONE: 051-4917200-05























- **Get** free evaluation of your used car
- ► Set the deal in motion*
- Go with your Brand New Fortuner

*We accept ANY used car in exchange for a new Toyota OR ANY used car in exchange for a Certified Used Toyota.

*Terms and conditions apply.

Stay in touch with Toyota















Keep your app updated for the additional features









